


SPECIFICATIONS
Arrive AirPoint 2011-BYMG

AirPoint 2011-BYMG



AAP-2011-BYMG
Wireless Media Gateway



Key Features

Built-in universal wireless media receiver for personal devices that support Apple Airplay™ and WiFi Miracast™ screen mirroring.



- Enables wireless screen mirroring one at a time from connected iPad,iPhone,iPod devices which support Apple AirPlay. Connect Android tablets and smartphones, Samsung™ Galaxy smartphones and tablets, and Windows 8.1/10 laptops and tablets seamlessly using WiFi Miracast™; as well as Intel™ WiDi devices.
- Transmits wireless audio and video sync and playback.
- No need for client applications or software to be downloaded on personal devices
- Eliminates the need for dongles, HDMI nodes or break-out USB senders to be connected and disconnected each time.

Hardware

Processing

Software Application Embedded AirPoint™ wireless video processing application with native support of Airplay™, Miracast™ and Intel™ WiDi screen mirroring platforms. Manages WiFi SSID broadcast and set-up.

WiFi Built-in 2.4 Ghz and 5 Ghz 802.11n capable. Low coverage radius to avoid spill-overs

Wireless BYOD Simply connect and present with integrated AirPlay® (tested till iOS11 version), and WiFi Miracast™ capability. Connect via WiFi LAN or directly to the AirPoint™ wireless gateway. Does not require insertion of external dongles or initiation of any proprietary client software on compatible devices.

Universal Wireless BYOD capable:





SPECIFICATIONS

Arrive AirPoint™ Wireless Media Gateway

Model AAP-2011-BYMG


Panel A and C



Side Panels A & C

1	Frequency Toggle Button	To toggle between 2.4 GHz and 5 GHz
2	Power Button	To turn unit on/off
3	Host / Media	To connect media sources and update software via USB

Panel B Front Input / Output Connections



Front Panel B

Front Panel-B I/O Panel

1	USB Port	Use with a USB cable for power connection
2	LAN Port	For connection to WLAN port to access the device and change the WiFi SSID name remotely
3	HDMI OUT	For connection to HDMI port of display - output supports 1080p display resolution
4	Optical Audio Port	Digital audio out to audio system (optional)
5	Analog AV	Analog audio out to audio system (optional)

Frame / Case and Mounting

Frame / Case	Brushed aluminum top cover with metal powder coated body
Color	Black

Included Cables and Hardware

- 1 x 5V - 2A USB power and I/O cable (Mini USB cable to dual end connectors)
- 2 x Antenna
- 1 x USB Power adapter
- 1 x Mounting kit

SPECIFICATIONS


Arrive AirPoint™ Wireless Media Gateway

Model AAP-2011-BYMG

Operating requirements

Power requirements	Input DC 5V 2Amp via USB
Operating temperature	5 to 30°C (23 - 86 °F)
Operating position	Horizontal
Storage temperature	5-35°C (23 - 95 °F)
Operating humidity	10-55%

Dimensions



Unit dimension	5.118" W x 3.150"H x 0.866" D (80 x 130 x 22mm)
Net weight/unit	0.09 lbs (40gms)
Gross shipping weight	1.23 lbs (560gms)

Certification and compliance


Regulatory certification	FCC-Class A, CE
Environmental compliance	RoHS, WEEE

Purchasing information

Model No	AAP-2011-BYMG
Description	Arrive AirPoint™ 2011 BYMG - a wireless media gateway embedded with AirPoint 2.0 software.
SKU#	AAP-2011-001-001
Warranty Information	All Arrive Peripherals ship with a standard limited 12 months first user warranty. Please refer to Ver. SLHW-P-0101-15 - visit carepoint.arrivesys.com/warranty for updated information on warranty.



Contact us:
info@arrivesys.com
 or scan the QR code for more product information online.



AAP-2011-808-RB001

Copyright © 2017 Arrive Systems, Inc. All rights reserved. All trademarks and copyrights, whether acknowledged or otherwise, are owned by their respective owners and are registered in the U.S. and / or other countries. ARRIVE does not claim ownership of any trademark other than Arrive®, Arrive AirPoint®, Arrive CablePoint®, Arrive CloudPoint®, Arrive ControlPoint®, Arrive EyePoint®, Arrive FacePoint®, Arrive HuddlePoint®, Arrive InfoPoint®, Arrive MediaPoint®, Arrive NetPoint®, Arrive OnePoint®, Arrive RoomPoint®, Arrive SoundPoint®, Arrive TouchPoint®, Arrive ViewPoint®, Arrive VoicePoint®, Arrive Edgeless Media®, and Internet of AV Things™ trademarks. Specifications are subject to change without notice. All images are provided for reference use only, are graphically generated and representative for promotional purposes. Finished goods, packaging and products will be provided with user interface designs and graphic elements including packaging design elements that may vary from the images shown in this document. E&OE