


Arrive ControlPoint™

Touch Screen Control Console

Model ACP-1000-CT



Arrive ControlPoint™ model ACP-1000-CT is a sleek and powerful unified control interface meant to bring the advanced features of Arrive EMS automated user interface deployment right to the finger tips of the users. The ACP-1000-CT is a large 10" console tablet supplied with a heavy duty table stand to function as an out-of-the-box control system solution for the venues it is deployed in. With integrated Arrive ControlPoint™ edition software application, this device seamlessly connects to Arrive's leading edge Internet-of-AV-Things ready Arrive OnePoint EMServer, providing unobtrusive control over all your connected things.



ACP-1000-CT



Product Highlights

- Arrive ControlPoint ACP-1000-CT works seamlessly with Arrive's central OnePoint EMServer without the need for local programming or configuration unlike legacy control systems.
- Arrive OnePoint EMS provides the full configuration as well as the Graphic User Interface design centrally, and pushes the user interface to Arrive ControlPoint – a true Cloud based control system. Controls can be customized to individual venues or applied en masse to several typical and similar rooms from the Arrive OnePoint EMS.
- A single console provides convenient control user interface to manage:
 - Microsoft Lync® software client including directory, calling, connecting, and video call management functions such as microphone mute, volume controls, camera selection, display and view.
 - PC Functions
 - Cloud and Network Content Management
 - Wireless and Wired BYOD Management
 - AV Controls
 - Virtual Desktop
 - Virtual Keyboard and Mouse functions



Hardware

Display

Screen Size (diagonal)	10.1" (25.654cm) LCD
Aspect Ratio	16x9
Resolution	1280x800 pixels
Touch technology	Capacitive Touch wide angle view
Sensing object	Finger

Power

Powering Options	POE+,9V DC
Power Over Ethernet	POE+ 802.3at (30W)

SPECIFICATIONS

Arrive ControlPoint™ ACP-1000 Touch Screen Control Console

Model ACP-1000-CT

Wired Network	10/100 Mbps 802.3 Ethernet
Wireless	802.11 b/g/n 1x1 Spatial stream






Software

Base Operating System	Linux Kernel 3.0 SELinux, Android 4.2.2
ARRIVE Software Bundle	Arrive ControlPoint software app

Frame/Case and Stand

Frame/Case	Brushed Aluminium / Polycarbonate
Color	Black
Stand	Standard Table Stand

Dimensions and Weights*



Net Weight/unit	4.40lbs (2kg)
Unit dimension	10.23" W x 5.9"H x 6.29" D (26 x 15 x 16cm)
Shipping dimensions at 2 unit/box:	12.79" W x 12.91"H x 9.05" D (32.5 x 32.8 x 23cm)
Gross Shipping weight	12.12lbs (5.5kg)

Certification and compliance

Regulatory certification	FCC Class A, CE
Environmental compliance	RoHS, WEEE

SPECIFICATIONS

Arrive ControlPoint™ ACP-1000 Touch Screen Control Console

Model ACP-1000-CT

Purchasing information

Model No	ACP-1000-CT
Description	Arrive ControlPoint™ touch screen console-- 10+” Interactive Screen with wireless and wired PoE LAN connectivity.
SKU#	ACP-1000-001-001

Support information

ACP-STD-CFS-1	Standard initial 12 months CarePoint Foundation Service Support (CFSS). Refer to CFSS-1 section of Ver. CFSS-ASAP-0101-15.
ACP-STD-ASAP	CarePoint Advanced Support Action Program (ASAP) - Advance Hardware Replacement Warranty. Refer to ASAP section of Ver. CFSS-ASAP-0101-15.
EULA-SLHW-0101-15	All Arrive® media and video collaboration processing products ship with a standard limited first user warranty that covers both software and hardware. Arrive believes in its services and offers an excellent choice of extended warranties and advance replacement programs with numerous options for customers. By making the CarePoint Foundations Services a unique service part number, Arrive signifies the importance that it places on customer service. Please refer to Ver. EULA-SLHW-0101-15 - visit carepoint.arrivesys.com/warranty for updated information on warranty.